



KIA MOTORS
The Power to Surprise™

SPORTAGE

MY 09 MODELS

SPECIFICATION

Appearance - Exterior	XE		XS		TITAN
	2WD	4WD	2WD	4WD	4WD
16" Alloy Wheels (215/65 R16)	X	-	-	-	-
16" Alloy Wheels (235/60 R16)	-	X	X	X	-
17" Alloy Wheels	-	-	-	-	X
Full Size Spare Tyre	X	X	X	X	X
Tinted Glass	X	X	X	X	-
Privacy Glass	-	-	-	-	X
Two-Tone Bumpers	X	X	X	X	X
Chrome Radiator Grille	X	X	X	X	X
Twin Chrome Exhausts	X	X	X	X	X
Mudguards	X	X	X	X	X
Wide Body Cladding & Mouldings	-	X	X	X	X
Roof Rails	X	X	X	X	X
Body Coloured Door Handles	X	X	X	X	X
Body Coloured Door Mirrors	X	X	X	X	X
Body Coloured Rear Garnish	-	-	X	X	X
Front Fog Lamps	X	X	X	X	X
Appearance - Interior					
Leather Wrapped Steering Wheel	X	X	X	X	X
Leather Wrapped Gear Knob & Shift	X	X	X	X	X
Aluminium Door Scuffs (Etched with Sportage Name)	-	-	-	-	X
Metal Grain Centre Fascia	-	-	X	X	X
Metal Painted Inner Door Handles	X	X	-	-	-
Chrome Painted Inner Door Handles	-	-	X	X	X
Metal Painted Inner Door Armrest Trim	-	-	X	X	X
Black Cloth Upholstery	X	X	-	-	-
Black Leather Upholstery	-	-	X	X	X

Key: Standard = X | Not available = - | Option - Available at extra cost = Opt

	XE		XS		TITAN
Audio	2WD	4WD	2WD	4WD	4WD
CD Audio with MP3 Player	X	X	X	X	X
USB + AUX Ports	X	X	X	X	X
iPod Cable	-	-	X	X	X
6 Speaker System	X	X	X	X	X
Comfort & Convenience					
Cruise Control	-	-	X	X	X
Electrically Adjustable Door Mirrors	X	X	X	X	X
Heated Door Mirrors	-	-	X	X	X
Heated Front Seats	-	-	-	-	X
Height Adjustable Driver's Seat	X	X	X	X	X
Height Adjustable Front Seatbelts	X	X	X	X	X
Driver's Seat Lumbar Support (Non-Adjustable)	X	X	X	X	X
60-40 Split Fold-and-Dive Rear Seats	X	X	X	X	X
Height Adjustable Headrests x 5	X	X	X	X	X
Aluminium Passenger Assist Grip	-	-	X	X	X
Rear Seat Centre Armrest	X	X	X	X	X
Covered Vanity Mirrors with Ticket Holders	X	X	X	X	X
Passenger Assist Grips (x3)	X	X	X	X	X
Rear Coat Hook (x1)	X	X	X	X	X
Flip-up Tailgate Glass	X	X	X	X	X
Towing & Lashing Hook	X	X	X	X	X
Tilt Adjustable Steering Wheel	X	X	X	X	X
Visibility					
Front & Rear Intermittent Wipers	X	X	X	X	X
Wiper De-Icer	-	-	X	X	X
Electrochromic Rearview Mirror + Compass	-	-	-	-	X
Headlamp Levelling Device	X	X	X	X	X
Auto Light Control	-	-	X	X	X
Heated Rear Windscreen	X	X	X	X	X
Centre Mounted Brake Light	X	X	X	X	X
Cargo Area Lamp	X	X	X	X	X
Map Lamp (Part of Sunglasses Console Overhead)	X	X	X	X	X
Centre Cabin Lamp	X	X	X	X	X

	XE		XS		TITAN
Ventilation	2WD	4WD	2WD	4WD	4WD
Air Conditioning	X	X	-	-	-
Full Climate Control	-	-	X	X	X
Front & Rear Electric Windows	X	X	X	X	X
Driver's Auto Down Window Operation	X	X	X	X	X
Tilt & Slide Electric Sunroof	-	-	-	-	X
Storage					
Glovebox with Lock & Illumination	X	X	X	X	X
Centre Console Storage with Power Outlet	X	X	X	X	X
Seatback Pockets/ Storage	X	X	X	X	X
Front & Rear Cup Holder	X	X	X	X	X
Front & Rear Ashtray	X	X	X	X	X
Front Cigar Lighter with Power Outlet	X	X	X	X	X
Driver's Armrest with Storage Box	X	X	X	X	X
Luggage Net Hooks	-	-	X	X	X
Luggage Net	-	-	X	X	X
Cargo Area Power Outlet	X	X	X	X	X
Security					
Remote Central Door Locking with Alarm	X	X	X	X	X
Locking Wheel Nuts	X	X	X	X	X
Rear Door Child-Locks	X	X	X	X	X
Cargo Area Tonneau Cover	X	X	X	X	X
Front Door Courtesy Reflectors	X	X	X	X	X
Impact Sensing Auto Door Unlocking	-	-	X	X	X
Safety					
Twin Front Airbags	X	X	X	X	X
Passenger Airbag Cut-off Switch	X	X	X	X	X
Twin Side Airbags	X	X	X	X	X
Twin Full-Length Curtain Airbags	X	X	X	X	X
ABS with EBD (Electronic Brakeforce Distribution)	X	X	X	X	X
Power Steering	X	X	X	X	X
Intelligent 4WD System	-	X	-	X	X
ISOFIX Child Seat Anchor Points	X	X	X	X	X
Electronic Stability Programme (ESP)	-	-	-	-	X
Front & Rear Disc Brakes	X	X	X	X	X
Engine Immobiliser	X	X	X	X	X
Front Seatbelt Pretensioners & Load-limiters	X	X	X	X	X

TECHNICAL INFORMATION

Engine Data	2.0 Petrol (2WD)	2.0 CRDi Diesel (2WD)		2.0 Petrol (4WD)	2.0 CRDi Diesel (4WD)
Engine Type	4 cylinder in-line 16 valve DOHC VVT	4 cylinder in-line 16 valve DOHC		4 cylinder in-line 16 valve DOHC VVT	4 cylinder in-line 16 valve DOHC
Capacity (cc)	1,975	1,991		1,975	1,991
Max Power (bhp @ rpm)	139.5 @ 6,000	138 @ 4,000		139.5 @ 6,000	138 @ 4,000
Max Torque (Nm @ rpm)	184 @ 4,500	305 @ 1,800-2,500		184 @ 4,500	305 @ 1,800-2,500
Bore / Stroke (mm)	82.0 / 93.5	83.0 / 92.0		82.0 / 93.5	83.0 / 92.0
Fuel System	Multi-point Fuel Injection	Common Rail Direct Injection Diesel VGT		Multi-point Fuel Injection	Common Rail Direct Injection Diesel VGT
Emission Control	Euro IV	Euro IV		Euro IV	Euro IV
Fuel Type	Unleaded	Diesel		Unleaded	Diesel
Engine Management System	Bosch Multi-point Injection	Bosch Common Rail Direct Injection		Bosch Multi-point Injection	Bosch Common Rail Direct Injection
Ignition System	Distributorless Engine Management	Compression Ignition		Distributorless Engine Management	Compression Ignition
Transmission					
Gear Ratio	5-Speed Manual	6-Speed Manual	4-Speed Automatic	5-Speed Manual	6-Speed Manual
1st	3.636	3.615	2.842	3.636	3.615
2nd	2.080	1.794	1.495	2.080	1.794
3th	1.333	1.542	1.000	1.333	1.542
4th	1.061	1.176	0.731	1.061	1.176
5th	0.821	0.974	N/A	0.821	0.974
6th	N/A	0.829	N/A	N/A	0.829
Reverse	3.455	3.416	2.72	3.455	3.416
Final Drive Ratio	4.533	4.643	3.735	4.533	1.2 - 4.643, 3, 4, 5, 6 - 3.421
4 Wheel Drive System	N/A		Electronically Controlled On-Demand		
Body Style	5 Door SUV				
Dimensions - Exterior (mm)					
Overall Length	4,350				
Overall Width (without Mirrors)	1,840 (XE 2WD models 1,800)				
Overall Height (with Roof Rails)	1,730				
Wheelbase	2,630				
Track Front	1,540				
Track Rear	1,540				
Dimensions - Interior (mm)					
Max Front Headroom	1,033				
Max Rear Headroom	1,000				
Max Front Legroom	1,070				
Max Rear Legroom	945				
Max Front Shoulder Room	1,440				
Max Rear Shoulder Room	1,430				
Luggage Area Volume (l) - Seats in Place	667				
Luggage Area Volume (l) - Seats Folded Flat	1,887				
Engine Data					
Load Deck Length (Min & Max) (mm)	750/1,480				
Load Deck Height (Min & Max) (mm)	810/910				
Load Deck Width between Wheel Arches (mm)	1,015				

Suspension, Steering & Brakes	2.0 Petrol (2WD)	2.0 CRDi Diesel (2WD)	2.0 Petrol (4WD)	2.0 CRDi Diesel (4WD)	
Front Suspension	Independent MacPherson Struts with Coil Springs				
Front Anti-Roll Bar	Standard				
Rear Suspension	Independent Dual-link with Coil Springs				
Rear Anti-Roll Bar	Standard				
Steering System	Rack and Pinion with Hydraulic Power Assistance				
Minimum Turning Diameter	10.8m				
Lock-to-Lock	3.06				
Anti-Lock Braking System	4-wheel, 4-sensor, 4-channel Electronic with EBD				
Front Brakes	Ventilated Discs				
Rear Brakes	Solid Disc				
Parking Brake	Drum				
Fuel Consumption & Emissions	Manual	Manual	Automatic	Manual	Manual
Official Government Test Figures mpg (l/100km)	Petrol	Diesel	Diesel	Petrol	Diesel
Urban (Cold)	27.2 (10.4)	32.1 (8.8)	27.4 (10.3)	26.6 (10.6)	31.7 (8.9)
Extra Urban	42.8 (6.6)	47.9 (5.9)	42.8 (6.6)	41.5 (6.8)	45.6 (6.2)
Combined	35.3 (8.0)	40.4 (7.0)	35.3 (8.0)	34.4 (8.2)	39.8 (7.1)
CO2 g/km	190	184	210	194	187
Noise Moving (db(A)E)	74	74	71	74	72
Specifications	Manual	Manual	Automatic	Manual	Manual
Kerb Weight (kg)	1,615	1,748	1,769	1,696	1,842
Gross Vehicle Weight (kg)	2,050	2,170	2,190	2,140	2,260
Max. Roof Load Weight (kg)	75				
Max. Towing Weights (kg):					
Trailer with Brakes	1,400	1,600	1,400	1,600	1,800
Trailer without Brakes	500	500	500	750	
Max. Ball Weight	75				
Fuel Tank Capacity (Litres)	58				
Ground Clearance (mm)	195				
Approach Angle (deg.)	28.8				
Departure Angle (deg.)	28.9				
Ramp Brake Over Angle (deg.)	18.8				
Wading Depth (mm)	500				
Drag Coefficient (Cd)	0.396	0.393	0.393	0.396	0.393
Performance	Manual	Manual	Automatic	Manual	Manual
Maximum Speed (mph)	111	110	108	108	110
Acceleration (0-62mph)	10.4	11.1	15.1	11.3	12
Wheel Sizes					
Wheels	6.5J x 16				XE & XS - 6.5J x 16; TITAN - 7.5J x 17
Tyre Sizes					
Tyres	XE 2WD - 215/65 R16/ XS 2WD & XE/XS 4WD - 235/R60/ Titan - 225/55 R17				
Insurance Groups					
	XE 10 (18)	XE 10 (21) XS 10 (22)	XS 10 (22)	XE 10 (18) XS 10 (18)	XE 10 (21) XS 10 (22) TITAN 11 (22)
Service Intervals					
	Every 10,000 miles or 1 year, whichever is sooner	Every 12,500 miles or 1 year, whichever is sooner.		Every 10,000 miles or 1 year, whichever is sooner	Every 12,500 miles or 1 year, whichever is sooner.

EXTERIOR/INTERIOR COLOUR OPTIONS

INTERIOR TRIM



	Meteor Red Solid	Silver Storm Metallic	Astral Blue Metallic	Phantom Black Metallic	English Pewter Metallic	Black Cloth	Black Leather
XE 2WD	✓	✓	—	✓	—	✓	—
XE 4WD	✓	✓	—	✓	—	✓	—
XS 2WD	✓	✓	✓	✓	✓	—	✓
XS 4WD	✓	✓	✓	✓	✓	—	✓
TITAN	✓	✓	—	✓	—	—	✓

Metallic exterior colours available at extra cost. Please check with your dealer for colour availability by grade.

KIA WARRANTY OFFER

Over the years, Kia has become one of the most successful car manufacturers in Europe. The key to our success? We give our customers that little bit extra: better service by qualified technicians, regular product innovation and superior warranty coverage.*

7-YEAR VEHICLE WARRANTY

Our high quality standards are what make superior warranty coverage for the Sportage models possible: 3 years/unlimited mileage and 4-7 years/100,000 mile full manufacturer's warranty.

7-YEAR PAINT WARRANTY

High quality body paint and advanced technology ensures long-lasting protection and shine for your new Kia. Your new Kia comes with: 3 years/unlimited mileage and 4-7 years/100,000 mile full manufacturer's warranty.

10-YEAR ANTI-PERFORATION WARRANTY

Your new Kia comes with a 10-year anti-perforation warranty as standard.**

ENVIRONMENT

Kia Motors creates innovative products, ensuring state-of-the-art Design for Recycling (DfR) guidelines. Wherever possible, recycled and recyclable materials are being used in the production of Kia cars, all major plastic parts being chosen for ease of disassembly and stamped with a composition code.

Even at the end of a vehicle's life, one of Kia Motors' environmental targets is the eco-friendly take-back and treatment of End-of-Life Vehicles. Operating a rigid process, Kia Motors has selected partners across Europe that guarantee environmental protection in the treatment of

harmful waste substances. These are then recycled or recovered, ensuring the highest level of environmental protection.

Kia Motors (UK) Ltd has appointed autogreen as our partner to manage the take-back, treatment and recycling of End-of-Life Vehicles in accordance with Directive 2000/53/EC. They can provide advice on whether or not your vehicle qualifies for free take-back and the location of your nearest take-back facility.

*For full warranty coverage including terms and conditions please refer to your Kia dealer.

**An annual bodywork inspection is required, for which a charge may apply.

Images are for illustrative purposes only and may not be to UK specification. All information and illustrations are based on data available at the time of publication and are subject to change without notice. Contact your local Kia dealer for current information.